	Application No.	Applicant(s)	
Notice of Allowability	10/670,520	ASAKAWA ET AL.	
	Examiner	Art Unit	
	Stephen W. Smoot	2813	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Report the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communication. This application is subsection.	his application. If not includication will be mailed in due	ed course. <b>THIS</b>
<ol> <li>This communication is responsive to <u>applicant's amendme</u></li> </ol>	nt filed on 28 September 2004	<u>!</u> .	
2. $\boxtimes$ The allowed claim(s) is/are <u>21-25</u> .			
3. $igotimes$ The drawings filed on 29 January 2004 are accepted by th	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date  [b) including changes required by the attached Examiner' Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the company of the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet. Replacement sheet(s) should be labeled as such in the deponent sheet.	e been received. e been received in Application cuments have been received in Application of this communication to file a MENT of this application.  Initiated. Note the attached EXAM es reason(s) why the oath or do st be submitted. Son's Patent Drawing Review (communication).  SAME AMENDATE AND APPLICATION OF THE AP	No. 10/161,707. In this national stage application of the Office action of drawings in the front (not the 1.121(d).  RIAL must be submitted.	quirements
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sun Paper No./M 7. ☐ Examiner's A 8. ☑ Examiner's Si 9. ☐ Other	rmal Patent Application (PTonmary (PTO-413), ail Date mendment/Comment tatement of Reasons for Alloward Avances   Avance	owance

Application/Control Number: 10/670,520 Page 2

Art Unit: 2813

## **DETAILED ACTION**

This Office action is in response to applicant's amendment filed on 28 September 2004.

## Allowable Subject Matter

- 1. Claims 21-25 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: Claims 21-25 are allowed because the prior art of record does not teach or suggest, in combination with the other claim limitations, a mask for exposing a porous substrate with first and second light-transmitting regions, wherein the second light-transmitting region has an average aperture ratio that is not more than 50 % of the average aperture ratio corresponding to the first light-transmitting region.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Page 3

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen W. Smoot whose telephone number is 571-272-1698. The examiner can normally be reached on M-F (8:00 am to 4:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead, Jr. can be reached on 571-272-1702. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**SWS**